

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

COTTON VARIETIES PLANTED 1969 - 1973

LIBRARY
PLANT VARIETY PROTECTION OFFICE
U. S. DEPARTMENT OF AGRICULTURE

AUG 18 2044



UNITED STATES DEPARTMENT OF AGRICULTURE

Agricultural Marketing Service Cotton Division

Memphis, Tennessee

August 1973

CONTENTS

<u>Table No.</u>		<u>Page No.</u>
	Introduction	1
	Leading Varieties.	1
	Map of Smith-Doxey Cotton Classing Office Territories.	2
1.	Average fiber test results for varieties of cotton grown commercially in the United States, crop of 1972.	3
2.	Varieties by states and United States, crop of 1973.	4
3.	Varieties by states	
	North Carolina, South Carolina, Georgia, Florida, Alabama.	5
	Mississippi, Tennessee, Missouri, Arkansas, Louisiana.	6
	Oklahoma, Texas, New Mexico, Arizona, California	7
	Varieties by classing office territories and by counties	
4.	Raleigh Classing Office.	8
5.	Columbia Classing Office	9
6.	Augusta Classing Office.	10
7.	Atlanta Classing Office.	11
8.	Birmingham Classing Office	12
9.	Montgomery Classing Office	13
10.	Greenwood Classing Office.	14
11.	Jackson Classing Office.	15
12.	Memphis Classing Office.	16-17
13.	Hayti Classing Office.	18
14.	Blytheville Classing Office.	18
15.	Little Rock Classing Office.	19
16.	Winnsboro Classing Office.	20
17.	Alexandria Classing Office	20
18.	Altus Classing Office.	21
19.	Dallas Classing Office	22
20.	Austin Classing Office	23
21.	Corpus Christi Classing Office	24
22.	Harlingen Classing Office.	24
23.	Abilene Classing Office.	25
24.	Lubbock Classing Office.	26
25.	El Paso Classing Office.	27
26.	Carlsbad Classing Office	28
27.	Phoenix Classing Office.	29
28.	Fresno Classing Office	29
29.	Bakersfield Classing Office.	30
30.	El Centro Classing Office.	30
31.	Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, 1969-1973.	31
32.	Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing office territories, crop of 1973.	32

Cotton Varieties Planted, United States
1969-1973

Deltapine and Stoneville varieties accounted for nearly one-half of the cotton acreage planted in the United States during the 1973-74 season. Four other varieties, Acala, Lankart, Coker and Paymaster were planted on most of the remaining acreage.

Deltapine continued as the leading variety of cotton planted in the United States by a small margin, representing 25 percent of the total 1973 acreage. This compares with 29 percent a year earlier. Deltapine was the leading variety planted in Arizona, Louisiana, Mississippi and Tennessee and accounted for a substantial proportion of the acreage in Alabama, Georgia and Missouri. Deltapine 16, the predominating Deltapine strain, accounted for 23 percent of total acreage planted.

Stoneville was the second most popular variety of cotton planted this year. This variety was planted on 23 percent of the acreage compared with 24 percent last year. Stoneville was the top choice of farmers in Alabama, Arkansas and Missouri and next to the top choice in Louisiana, Mississippi and Tennessee. Stoneville 213 was by far the leading Stoneville strain and was planted on 21 percent of the total acreage.

Acala was the third leading variety and accounted for 15 percent of the total acreage planted this season. This is up from 12 percent last year. Acala was the predominating variety planted in California, accounting for 94 percent of the acreage, and in New Mexico, where 71 percent of the acreage was planted to Acala.

Lankart continued to hold its place as the fourth leading variety. The proportion of the acreage planted to this variety was ten percent compared to nine percent a year earlier. Lankart was the most popular variety in Texas, accounting for a little over one-fourth of the acreage planted in that state. It was also the leading variety planted in Oklahoma.

Coker maintained its position as the fifth most popular variety, accounting for seven percent of the 1973-74 acreage. It was the top variety planted in Georgia, North Carolina and South Carolina. The sixth leading variety this year was Paymaster with five percent of the total acreage compared with three percent last year.

Pima S-4 was the leading strain of American Pima cotton planted in 1973, accounting for 87 percent of the total American Pima acreage. This compares with 89 percent a year earlier and 76 percent two years ago.

Estimates of the percentages of the various varieties of cotton planted in the United States in 1973, by counties, Smith-Doxey cotton classing office territories and states are presented in this report. Comparative variety data for the four years 1969-1972 are shown by states. The variety data are based primarily on estimates furnished by cotton ginner for the territories served by their gins.

Estimated percentage of cotton acreage planted to specified varieties, United States, 1969-1973

Year	Acala	Coker	Delta- pine	Lankart	Pay- master	Stone- ville	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1969	17	6	26	11	6	17	17	100
1970	15	7	28	9	6	21	14	100
1971	13	8	26	10	5	21	17	100
1972	12	8	29	9	3	24	15	100
1973	15	7	25	10	5	23	15	100

UNITED STATES

Smith-Doxey Cotton Classing Office Territories




Table 1. Average fiber test results for varieties of cotton grown commercially in the United States, crop of 1972 1/

Variety	Sampling offices	Lots tested	Staple length	Micro-naire <u>2/</u>	Fiber strength <u>3/</u>		Fiber length <u>4/</u>	
					Zero gage	1/8"-gage	2.5% span	50/2.5 uniformity
	No.	No.	32d in.	Rdg.	Mpsi	G/tex	In.	Pct.
Gregg 35	1	3	30	2.8	80	22	0.92	47
Rilcot 90	1	3	30	3.1	78	22	0.91	45
Lankart 57	7	21	31	4.2	80	20	0.98	45
Lankart 611	2	6	31	4.4	76	20	0.96	45
Stripper 31	3	9	31	3.7	76	21	0.95	45
Western Stormproof	1	3	31	4.1	78	20	0.96	45
Lankart LX-571	4	12	32	4.6	83	21	1.01	45
Lockett 4789	1	3	32	3.0	76	20	0.97	43
Lockett 4789A	3	9	32	3.8	81	22	1.03	43
Paymaster 111	1	3	32	3.1	79	22	0.98	43
Quapaw	1	2	32	4.7	94	22	0.97	46
Dixie King II	3	10	33	4.3	82	21	1.03	45
Lockett BXL	1	3	33	4.8	88	23	1.04	46
Auburn M	1	4	34	3.9	80	22	1.06	44
Brycot 4	1	3	34	4.3	88	21	1.10	46
Coker 201	6	21	34	4.4	85	23	1.08	46
Coker 5110	1	3	34	3.2	75	22	1.09	42
Deltapine 16	32	106	34	4.3	83	23	1.10	44
Deltapine 45A	2	4	34	4.2	80	21	1.06	45
Deltapine Smooth Leaf	1	3	34	4.7	87	23	1.07	44
Hancock	1	4	34	4.3	80	21	1.02	44
Rex Smooth Leaf	2	6	34	4.1	81	21	1.09	44
Rex SL-66	1	3	34	4.3	85	21	1.07	45
Stoneville 7A	5	15	34	4.6	87	22	1.07	45
Stoneville 213	24	82	34	4.4	82	22	1.08	45
TPSA 1633	1	3	34	3.9	80	21	1.06	45
Acala 4-42	2	6	35	4.3	96	26	1.08	47
Coker 310	7	23	35	4.3	86	24	1.12	44
Coker 312	1	3	35	3.3	77	22	1.13	40
Coker 417	3	10	35	4.0	86	25	1.13	45
Dixie King III	1	3	35	4.4	94	25	1.05	46
McNair 511	1	4	35	4.1	81	24	1.10	47
Acala SJ-1	9	27	36	4.3	96	26	1.11	46
Acala 1517-C	1	3	36	3.8	92	25	1.17	43
Acala 1517-V	2	6	37	3.6	88	25	1.18	45
Acala 1517-70	2	6	37	3.6	93	25	1.16	44

- 1/ Compiled from "Summary of Cotton Fiber and Spinning Test Results, Crop of 1972", USDA, AMS, Cotton Division, May 1973.
- 2/ Micronaire reading is a measure of fiber fineness and maturity. This test measures resistance of a plug of cotton to air flow.
- 3/ Fiber strength indicates ability of cotton fibers to withstand force or tension, and has a strong bearing on spinning utility. Zero gage fiber strength test made without a spacer between clamp jaws using Pressley flat bundle tester. 1/8" gage strength test made with 1/8" spacer between clamp jaws using Stelometer and results are adjusted to the Pressley level.
- 4/ Digital Fibrograph 2.5% span length indicates length spanned by 2.5 percent of the fibers when they are parallel and randomly distributed. This measure is closely related to staple length designations. Digital Fibrograph 50/2.5 uniformity ratio values indicate relative uniformity of fiber length in samples.

Table 2. Estimated percentage of cotton planted to specified varieties, by states and United States, crop of 1973

Variety	N.C.	S.C.	Ga.	Fla.	Ala.	Miss.	Tenn.	Mo.	Ark.	La.	Okla.	Tex.	N.M.	Ariz.	Cal.	All 1/ Other	U.S.
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Acala 4-42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1
Acala 1517BR-2	-	-	-	-	-	-	-	-	-	-	-	*	2	-	-	-	*
Acala 1517C	-	-	-	-	-	-	-	-	-	-	-	*	3	1	-	-	*
Acala 1517D	-	-	-	-	-	-	-	-	-	-	-	*	2	*	-	-	*
Acala 1517V	-	-	-	-	-	-	-	-	-	-	-	*	26	1	-	-	*
Acala 1517-70	-	-	-	-	-	-	-	-	-	-	-	*	37	1	-	-	1
Acala 3080	-	-	-	-	-	-	-	-	-	-	-	*	1	-	-	-	*
Acala SJ-1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86	45	12
Acala SJ-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1
Auburn M	-	-	*	-	-	-	*	5	*	-	-	-	*	-	-	-	*
Blightmaster A-5	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1
Brycot 4	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	*
Carolina Queen	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Coker 201	40	54	44	18	4	-	-	-	-	-	-	-	-	-	-	13	3
Coker 310	40	41	32	14	10	1	3	1	*	*	-	*	*	-	-	7	3
Coker 312	-	-	-	-	-	-	-	-	-	-	-	*	1	*	-	-	*
Coker 417	-	1	*	-	8	-	-	-	-	-	-	-	-	-	-	-	*
Coker 5110	-	-	-	-	-	-	-	-	-	-	-	2	1	*	-	-	1
Coker 5190	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	*
Del Cerro	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	*
Delcot 277	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	*
Deltapine 16	1	3	11	62	27	54	37	22	40	52	3	2	*	78	5	21	23
Deltapine 25	-	-	-	-	*	*	*	-	1	1	-	*	-	-	-	-	*
Deltapine 45A	-	-	1	-	*	2	*	1	1	10	-	-	-	-	-	-	1
Deltapine SR-1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	*
Deltapine SR-2	-	-	-	-	-	-	-	-	-	-	*	1	-	-	-	-	*
Deltapine Smooth Leaf	-	-	-	-	-	-	-	-	-	-	-	*	*	3	1	-	*
Dixie King II	-	*	1	-	8	*	17	-	*	-	-	-	-	-	-	-	1
Dixie King III	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	*
Dunn 119	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	*
Gregg 35	-	-	-	-	-	-	-	-	-	-	-	1	*	*	-	-	*
Hancock	-	-	-	-	1	*	3	-	-	-	-	-	-	-	-	-	*
Hopicala	-	-	-	-	-	-	-	-	-	-	-	*	1	*	-	-	*
Lankart 57	-	-	-	-	-	-	-	-	-	-	57	10	1	-	-	-	4
Lankart 611	-	-	-	-	-	-	-	-	-	-	14	5	-	-	-	-	2
Lankart 3840	-	-	-	-	-	-	-	-	-	-	1	*	1	-	-	-	*
Lankart LX 571	-	-	-	-	-	-	-	-	-	-	11	12	-	-	-	-	4
Lankburn	-	-	-	-	-	-	-	-	-	-	1	*	-	-	-	-	*
Lockett 4789	-	-	-	-	-	-	-	-	-	-	*	1	-	-	-	-	*
Lockett 4789A	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	1
Lockett BXL	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1
McNair	-	-	-	-	1	-	-	*	-	-	-	-	-	-	-	-	*
McNair 210	2	-	*	1	-	-	-	-	-	-	-	-	-	-	-	-	*
McNair 511	11	1	4	5	-	-	-	-	*	-	-	-	-	-	-	1	*
McNair 1032	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	*
McNair 1032B	-	-	1	-	-	-	-	-	*	-	-	-	-	-	-	-	*
Northern Star 5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	*
Northern Star 998	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	*
Northern Star R-4	-	-	-	-	-	-	-	-	-	-	-	1	*	-	-	-	1
Northern Star R-442	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	*
Paymaster 18	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	-	1
Paymaster 111	-	-	-	-	-	-	-	-	-	-	*	1	1	-	-	-	*
Paymaster 111A	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1
Paymaster 202	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	1
Paymaster 909	-	-	-	-	-	-	-	-	-	-	-	5	1	-	-	-	2
Rex Smooth Leaf	-	-	-	-	2	*	3	-	*	-	-	-	-	-	-	3	*
Rex Smooth Leaf 66	-	-	-	-	-	-	-	1	2	-	-	*	-	-	-	-	*
Rilecot 90	-	-	-	-	-	-	-	-	-	-	-	3	6	-	-	-	1
Stoneville 7A	-	-	-	-	-	*	*	3	4	1	-	4	*	1	-	-	2
Stoneville 213	-	*	4	-	32	42	34	65	50	36	2	6	3	14	*	9	21
Stoneville 603	-	*	*	-	5	-	2	-	-	-	-	-	-	-	-	-	*
Stripper 31	-	-	-	-	-	-	-	-	-	-	-	10	3	-	-	-	3
Stroman Acala 104	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	*
Stroman Acala 254	-	-	-	-	-	-	-	-	-	-	-	*	2	-	-	-	*
Tamcot 788	-	-	-	-	-	-	-	-	-	-	-	1	*	-	-	-	*
Tamcot SP 37	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1
TPSA 1633	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	*
Westburn	-	-	-	-	-	-	-	-	-	-	3	*	-	-	-	-	*
Western Stormproof	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	1
All Other	1	*	1	-	1	1	1	*	1	*	2	9	*	*	*	*	5
Total	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100

* Less than 0.5 percent.

1/ All other includes Virginia, Kentucky and Nevada.

Table 3. Estimated percentage of cotton acreage planted to specified varieties, by states, 1969-1973

NORTH CAROLINA

Season beginning August 1	Ginnings	Carolina Queen	Coker 100A	Coker 201	Coker 310	Coker 413	Coker 417	Delta-pine 16	McNair 210	McNair 511	McNair 1032	Rex	TH 149	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1969	105,919	3	2	51	-	11	*	-	-	-	20	4	8	1	100
1970	161,690	1	*	57	3	1	9	-	-	-	10	4	13	2	100
1971	137,211	-	2	50	25	-	1	-	2	3	11	3	3	-	100
1972	119,989	-	-	40	37	-	-	1	3	10	6	-	2	1	100
1973	-	-	-	40	40	-	-	1	2	11	5	-	-	1	100

SOUTH CAROLINA

Season beginning August 1	Ginnings	Carolina Queen	Coker 100	Coker 201	Coker 310	Coker 413	Coker 417	Delta-pine 16	Delta-pine 16	Dixie King	McNair 511	McNair 1032	McNair 1032 B	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1969	210,563	3	*	73	-	19	1	*	-	*	-	1	-	3	100
1970	215,817	1	1	72	3	4	14	1	-	1	-	-	2	1	100
1971	268,567	*	*	66	25	1	6	1	-	*	-	1	-	*	100
1972	295,337	-	-	53	32	-	7	-	5	1	1	-	1	*	100
1973	-	-	-	54	41	-	*	-	3	-	1	-	-	1	100

GEORGIA

Season beginning August 1	Ginnings	Carolina Queen	Coker 100A	Coker 201	Coker 310	Coker 413	Coker 417	Delta-pine 16	Delta-pine 45A	Dixie King II	McNair 511	McNair 1032 B	Stoneville 213	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1969	277,531	10	2	47	-	20	-	1	-	4	-	7	1	8	100
1970	285,570	4	3	48	1	4	19	3	*	4	-	8	1	5	100
1971	356,024	1	2	46	22	*	9	6	1	4	-	4	1	4	100
1972	337,944	1	1	41	26	-	6	12	2	3	*	3	3	2	100
1973	-	1	*	44	32	-	*	11	1	1	4	1	4	1	100

FLORIDA

Season beginning August 1	Ginnings	Carolina Queen	Coker 100	Coker 201	Coker 310	Coker 413	Delta-pine 16	Delta-pine 45A	Dixie King II	McNair 210	McNair 511	McNair 1032 B	Wannamaker All-in-one	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1969	9,124	7	11	12	-	21	6	-	1	-	-	23	13	6	100
1970	7,673	4	9	14	-	11	39	13	3	-	-	4	-	3	100
1971	11,475	-	-	12	23	-	51	-	6	-	-	8	-	-	100
1972	13,245	-	-	7	10	-	70	-	9	1	1	1	-	1	100
1973	-	-	-	18	14	-	62	-	-	1	5	-	-	-	100

ALABAMA

Season beginning August 1	Ginnings	Coker 100	Coker 201	Coker 310	Coker 413	Coker 417	Delta-pine 16	Dixie King II	Empire	McNair 1032 B	Rex Smooth Leaf	Stoneville 213	Stoneville 603	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1969	466,030	3	10	-	11	-	19	21	5	7	5	12	-	7	100
1970	515,244	2	10	1	2	4	25	19	3	5	3	20	-	6	100
1971	632,744	-	8	6	-	7	26	20	1	3	5	19	*	5	100
1972	556,082	-	4	8	-	6	28	16	1	1	4	27	1	4	100
1973	-	-	4	10	*	8	27	8	*	-	2	32	5	4	100

* Less than 0.5 percent.

Table 3. Estimated percentage of cotton acreage planted to specified varieties, by states, 1969-1973 (Continued)

MISSISSIPPI

Season beginning August 1	Ginnings	Carolina Queen	Coker 100	Coker 201	Coker 310	Coker 413	Delta-pine 16	Delta-pine 45A	Delta-pine Sm.Lf.	Dixie King	Dixie King II	Stone-ville 7A	Stone-ville 213	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1969	1,314,668	*	*	1	*	1	56	2	3	-	*	1	35	1	100
1970	1,617,703	-	*	1	1	*	51	2	1	*	1	5	38	*	100
1971	1,637,225	-	-	*	*	*	57	1	-	-	*	*	40	2	100
1972	1,926,283	-	-	-	1	-	55	1	*	*	*	*	41	2	100
1973	-	-	-	-	1	-	54	2	-	*	*	*	42	1	100

TENNESSEE

Season beginning August 1	Ginnings	Auburn M	Coker 310	Coker 413	Delta-pine 16	Delta-pine 45	Delta-pine Sm.Lf.	Dixie King II	Empire	Hancock	Rex Smooth Leaf	Stone-ville 213	Stone-ville 603	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1969	417,274	8	-	1	32	1	6	26	2	2	4	16	-	2	100
1970	385,882	5	-	*	41	1	1	21	4	3	3	20	-	1	100
1971	508,918	3	*	-	40	*	-	20	1	3	3	28	-	2	100
1972	523,309	3	1	-	42	*	*	16	1	5	4	28	-	*	100
1973	-	*	3	-	37	-	-	17	-	3	3	34	2	1	100

MISSOURI

Season beginning August 1	Ginnings	Auburn M	Brycot	Brycot 4	Coker 310	Delcot	Delcot 277	Delta-pine 16	Delta-pine 45A	Rex Smooth Leaf	Rex Smooth Lf. 66	Stone-ville 7A	Stone-ville 213	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1969	326,044	8	-	-	-	-	-	22	3	7	-	7	48	5	100
1970	222,691	8	*	-	-	1	-	23	3	4	-	5	53	3	100
1971	392,637	5	1	-	-	2	-	26	3	-	3	4	56	*	100
1972	426,184	4	-	2	-	3	-	19	1	-	5	2	64	*	100
1973	-	5	-	1	1	-	1	22	1	-	1	3	65	*	100

ARKANSAS

Season beginning August 1	Ginnings	Brycot 4	Delcot 277	Delfos 9169	Delta-pine 16	Delta-pine 25	Delta-pine 45A	Delta-pine Sm.Lf.	Dixie King II	Rex Smooth Leaf	Rex Smooth Lf. 66	Stone-ville 7A	Stone-ville 213	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1969	1,140,945	-	-	1	33	-	6	*	1	3	*	12	40	4	100
1970	1,044,609	*	-	-	44	-	3	*	1	2	3	10	36	1	100
1971	1,210,858	1	-	*	41	-	2	-	*	*	3	8	43	2	100
1972	1,395,940	1	1	-	41	-	1	-	1	*	3	6	45	1	100
1973	-	1	-	-	40	1	1	-	*	*	2	4	50	1	100

LOUISIANA

Season beginning August 1	Ginnings	Coker 310	Coker 413	Delta-pine 16	Delta-pine 25	Delta-pine 45A	Delta-pine Sm.Lf.	Stone-ville 7A	Stone-ville 213	----	----	----	----	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1969	481,598	-	-	49	-	10	4	2	34	-	-	-	-	1	100
1970	521,183	-	*	53	-	13	1	2	31	-	-	-	-	*	100
1971	587,977	1	-	52	-	8	-	1	38	-	-	-	-	*	100
1972	685,908	*	1	53	-	10	-	1	35	-	-	-	-	*	100
1973	-	*	-	52	1	10	-	1	36	-	-	-	-	*	100

* Less than 0.5 percent.

Table 3. Estimated percentage of cotton acreage planted to specified varieties, by states, 1969-1973 (Continued)

OKLAHOMA

Season beginning August 1	Ginnings	Delta-pine 16	Lank-art 57	Lank-art LX 571	Lank-art 611	Lank-art 3840	Lank-burn	Lock-ett 4789	Lock-ett 4789A	Par-rott	Pay-master 202	Stone-ville 213	West-burn	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1969	271,006	6	56	-	2	13	*	5	*	2	4	1	3	8	100
1970	187,017	5	67	-	5	7	1	*	3	1	3	1	3	4	100
1971	169,114	2	70	3	9	1	1	2	2	1	2	1	2	4	100
1972	315,300	4	62	10	11	2	1	3	*	*	2	1	2	2	100
1973	-	3	57	11	14	1	1	*	2	*	1	2	3	5	100

TEXAS

Season beginning August 1	Ginnings	Coker	Delta-pine	Dunn	Gregg	Lank-art	Lock-ett	North-ern Star	Pay-master	Rilcot 90	Stone-ville	Strip-per 31	Western Storm-proof	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1969	2,774,222	2	3	7	2	28	7	1	18	2	10	2	4	14	100
1970	3,123,556	3	4	2	2	25	6	2	19	3	15	4	3	12	100
1971	2,509,426	2	3	2	3	29	6	2	17	4	10	8	4	10	100
1972	4,069,340	1	4	1	1	33	6	3	15	3	14	7	4	8	100
1973	-	2	4	1	1	27	5	4	15	3	10	10	4	14	100

NEW MEXICO

Season beginning August 1	Ginnings	Acala 1517-BR2	Acala 1517C	Acala 1517D	Acala 1517V	Acala 1517-70	Acala 3080	Hopi-cala	Pay-master	Rilcot 90	Stone-ville 213	Strip-per 31	Stroman Acala 254	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1969	140,522	9	15	12	43	-	2	6	4	1	*	*	-	8	100
1970	122,318	7	18	14	36	3	3	3	6	1	2	*	2	5	100
1971	125,137	4	7	4	30	22	2	3	5	3	4	1	4	11	100
1972	151,072	1	7	2	28	34	1	1	4	3	2	1	3	13	100
1973	-	2	3	2	26	37	1	1	5	6	3	3	2	9	100

ARIZONA

Season beginning August 1	Ginnings	Acala 1517C	Acala 1517D	Acala 1517V	Acala 1517-70	Acala SJ-1	Del Cerro	Delta-pine 16	Delta-pine Sm.Lf.	Hopi-cala	Stone-ville 7A	Stone-ville 213	----	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1969	589,125	1	3	*	-	1	2	87	2	2	1	1	-	-	100
1970	461,954	2	3	*	*	-	1	89	1	1	*	3	-	-	100
1971	460,414	1	1	*	2	-	1	80	6	*	1	8	-	*	100
1972	591,120	1	1	*	2	-	2	80	3	*	2	9	-	*	100
1973	-	1	*	1	1	-	1	78	3	*	1	14	-	*	100

CALIFORNIA

Season beginning August 1	Ginnings	Acala 4-42	Acala SJ-1	Acala SJ-2	Delta-pine 16	Delta-pine Sm.Lf.	Impe-rial Acala	Stone-ville 213	Stone-ville 508	----	----	----	----	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1969	1,334,246	3	86	-	10	1	*	*	*	-	-	-	-	-	100
1970	1,175,991	12	79	-	9	*	*	*	*	-	-	-	-	-	100
1971	1,119,766	10	83	-	5	1	-	1	-	-	-	-	-	-	100
1972	1,761,072	4	90	-	4	1	-	1	-	-	-	-	-	-	100
1973	-	4	86	4	5	1	-	*	-	-	-	-	-	*	100

* Less than 0.5 percent.

Table 4. Raleigh Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	Gins	1972 Ginnings	Bales		Coker 201	Coker 310	Delta- pine 16	McNair 210	McNair 511	McNair 1032	---	---	---	---	Other	Total
			No.	Pct.												
<u>North Carolina:</u>																
Anson	4	4,085	8	87	-	5	-	-	-	-	-	-	-	-	-	100
Cleveland	8	5,848	90	7	-	-	-	-	-	-	-	-	-	-	3	100
Halifax	10	16,056	21	70	-	9	-	-	-	-	-	-	-	-	-	100
Harnett	3	3,768	50	50	-	-	-	-	-	-	-	-	-	-	-	100
Nash	6	4,212	38	62	-	-	-	-	-	-	-	-	-	-	-	100
Northampton	7	12,197	57	41	-	-	-	-	-	-	-	-	-	-	2	100
Robeson	11	24,034	29	32	-	-	14	25	-	-	-	-	-	-	-	100
Sampson	5	8,325	57	43	-	-	-	-	-	-	-	-	-	-	-	100
Scotland	7	22,367	44	15	3	-	37	1	-	-	-	-	-	-	-	100
Wilson	3	866	57	40	-	3	-	-	-	-	-	-	-	-	-	100
All other	21	18,231	40	44	-	7	6	-	-	-	-	-	-	-	3	100
Classing Office Total	85	119,989	40	40	1	2	11	5	-	-	-	-	-	-	1	100

Table 5. Columbia Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	Gins	1972 Ginnings	Coker 201	Coker 310	Coker 417	Delta- pine 16	Dixie King II	McNair 511	Stone- ville 213	Stone- ville 603	---	---	---	---	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Abbeville	3	3,826	72	28	-	-	-	-	-	-	-	-	-	-	100
Aiken	5	6,632	67	25	-	-	-	8	-	-	-	-	-	-	100
Anderson	9	3,463	-	92	-	-	-	8	-	-	-	-	-	-	100
Bamberg	3	5,035	83	17	-	-	-	-	-	-	-	-	-	-	100
Barnwell	4	6,424	87	8	-	-	-	-	-	-	-	-	-	-	100
Calhoun	5	18,728	79	14	-	6	-	1	-	-	-	-	-	5	100
Cherokee	3	1,854	38	56	-	-	-	6	-	-	-	-	-	-	100
Chesterfield	3	5,981	45	53	-	2	-	-	-	-	-	-	-	-	100
Clarendon	10	21,597	37	63	-	-	-	-	-	-	-	-	-	-	100
Darlington	6	14,767	33	67	-	-	-	-	-	-	-	-	-	-	100
Dillon	6	21,481	7	90	-	1	-	1	-	-	-	-	-	-	100
Edgefield	4	3,431	81	11	-	-	-	8	-	-	-	-	-	-	100
Florence	5	8,532	64	36	-	-	-	-	-	-	-	-	-	-	100
Hampton	4	3,188	45	55	-	-	-	-	-	-	-	-	-	-	100
Laurens	5	2,784	47	53	-	-	-	-	-	-	-	-	-	-	100
Lee	13	47,082	66	30	-	-	-	3	1	-	-	-	-	-	100
Lexington	4	2,909	66	34	-	-	-	-	-	-	-	-	-	-	100
Marion	4	3,090	4	32	-	64	-	-	-	-	-	-	-	-	100
Marlboro	10	35,067	59	20	-	18	-	1	-	2	-	-	-	-	100
Orangeburg	16	25,549	59	41	-	-	-	-	-	-	-	-	-	-	100
Spartanburg	5	1,703	88	2	-	-	8	-	2	-	-	-	-	-	100
Sumter	14	29,705	61	37	-	1	-	1	-	-	-	-	-	-	100
York	3	4,002	32	61	7	-	-	-	-	-	-	-	-	-	100
All other	20	18,507	42	56	-	-	-	2	-	-	-	-	-	-	100
Classing															
Office Total	164	295,337	55	41	*	3	*	1	*	*	-	-	-	*	100

* Less than 0.5 percent.

Table 6. Augusta Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	Gins	1972 Ginnings	Auburn 56	Caro- lina Queen	Coker 100A	Coker 201	Coker 310	Coker 417	Delta- pine 16	Dixie King II	McNair 511	McNair 1032B	---	---	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Georgia:															
Burke	6	18,693	-	-	3	74	21	-	-	-	-	2	-	-	100
Emanuel	3	3,914	-	-	-	75	21	-	3	-	1	-	-	-	100
Jefferson	8	10,195	-	-	-	69	14	-	1	-	16	-	-	-	100
Johnson	3	4,470	-	-	-	55	43	-	-	-	-	2	-	-	100
Laurens	5	9,973	2	3	-	48	42	-	1	-	4	-	-	-	100
Morgan	3	7,882	-	-	-	-	61	-	-	39	-	-	-	-	100
Screven	4	5,126	-	-	-	93	-	3	-	2	2	-	-	-	100
Washington	3	6,882	-	-	-	90	10	-	-	-	-	-	-	-	100
All other	12	16,224	-	-	-	74	16	-	3	-	2	5	-	-	100
Classing Office Total	47	83,359	*	*	1	65	24	*	1	4	3	2	-	-	100

* Less than 0.5 percent.

Table 7. Atlanta Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	Gins	1972 Ginnings	Auburn M	Carolina Queen	Coker 201	Coker 310	Delta-pine 16	Delta-pine 45A	Dixie King II	Empire	McNair 210	McNair 511	McNair 1032B	Stoneville 213	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Georgia:																
Bartow	7	10,693	6	-	51	34	9	-	-	-	-	-	-	-	-	100
Bleckley	3	11,612	-	-	90	7	3	-	-	-	-	-	-	-	-	100
Colquitt	6	21,248	-	-	50	19	5	12	-	-	-	12	-	2	-	100
Crisp	4	22,983	-	-	41	20	8	3	-	-	6	20	-	-	2	100
Dooly	11	46,565	-	-	6	76	13	-	-	-	-	-	-	3	2	100
Floyd	3	3,222	-	-	32	50	18	-	-	-	-	-	-	-	-	100
Hart	3	2,542	-	-	23	77	-	-	-	-	-	-	-	-	-	100
Macon	4	7,576	-	-	-	20	53	6	-	-	-	3	16	-	2	100
Oconee	3	2,829	-	-	98	-	-	-	-	-	-	-	-	-	2	100
Pulaski	3	15,735	-	-	40	10	50	-	-	-	-	-	-	-	-	100
Sumter	4	9,151	-	-	23	37	37	3	-	-	-	-	-	-	-	100
Taylor	5	8,373	-	-	56	40	-	-	-	-	-	4	-	-	-	100
Terrell	5	11,833	-	-	12	8	24	-	-	-	-	-	-	54	2	100
Worth	3	4,918	-	6	45	10	24	15	-	-	-	-	-	-	-	100
All other	40	75,305	-	2	45	32	10	-	1	1	-	3	-	5	1	100
Classing Office Total	104	254,585	*	1	36	34	15	2	*	*	1	4	1	5	1	100

* Less than 0.5 percent.

Table 8. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	Gins	1972 Ginnings	Bales		Coker 201	Coker 310	Coker 413	Coker 417	Delta-pine 16	Dixie King II	Dixie King III	Empire	Hancock	Rex Smooth Leaf	Stoneville 213	Stoneville 603	Other	Total
	No.		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Alabama:</u>																		
Cherokee	12	28,969	-	8	-	-	-	74	-	-	-	-	-	-	-	17	1	100
Colbert	6	30,164	-	7	-	-	-	69	-	-	-	-	-	-	14	10	-	100
Cullman	8	11,048	-	17	-	-	2	-	79	-	-	-	-	-	-	2	-	100
DeKalb	14	15,624	10	26	-	-	-	-	28	29	-	-	-	-	-	6	1	100
Franklin	3	7,045	-	10	10	-	-	40	-	-	-	-	-	-	40	-	-	100
Jackson	5	7,259	-	19	-	-	-	-	54	12	-	-	-	-	-	15	-	100
Lamar	3	6,772	-	65	-	-	-	-	-	-	-	-	-	-	30	-	5	100
Lauderdale	7	24,829	-	25	-	-	-	-	-	-	-	-	-	-	58	12	5	100
Lawrence	15	45,756	-	-	-	-	-	33	-	-	-	-	6	1	54	4	2	100
Limestone	16	68,912	-	-	-	-	-	1	-	1	-	-	-	1	93	1	3	100
Madison	19	61,502	-	-	-	-	-	3	9	-	-	-	-	19	56	12	1	100
Marshall	8	12,298	-	42	-	-	-	4	37	-	-	-	-	-	17	-	-	100
Morgan	8	15,382	-	-	-	-	-	7	19	-	-	2	5	-	64	-	3	100
Pickens	3	7,109	-	-	-	-	-	50	-	-	-	-	-	-	-	-	-	100
Shelby	3	5,450	-	3	-	-	-	90	7	-	-	-	-	-	-	-	-	100
Tuscaloosa	4	10,400	-	15	-	5	-	75	-	-	-	-	-	-	-	-	5	100
All other	12	27,455	-	15	-	-	14	28	13	-	-	-	-	-	11	16	3	100
Classing Office Total	146	385,974	*	9	*	*	1	23	10	2	*	*	1	3	42	7	2	100

* Less than 0.5 percent.

Table 9. Montgomery Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	Gins	1972 Ginnings	Auburn	Coker 201	Coker 310	Coker 417	Delta-pine 16	Delta-pine 25	Delta-pine 45A	Dixie King II	McNair 210	McNair 511	Stoneville 213	Stoneville 603	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Alabama:</u>																
Autauga	4	16,970	-	-	-	98	-	-	-	-	-	-	-	-	2	100
Dallas	9	20,459	-	29	12	38	15	-	-	-	-	-	5	-	1	100
Elmore	6	20,483	-	4	4	43	40	-	-	4	-	-	4	-	1	100
Escambia	3	14,819	-	7	8	1	73	-	-	5	-	6	-	-	-	100
Hale	4	8,642	-	34	34	-	25	-	-	7	-	-	-	-	-	100
Lowndes	3	7,057	-	24	9	-	34	-	-	-	-	-	33	-	-	100
Macon	4	9,556	-	16	7	-	62	-	-	1	-	-	13	1	-	100
Marengo	3	10,125	-	-	1	-	47	-	-	-	-	2	50	-	-	100
Monroe	3	9,004	-	-	23	-	68	3	1	-	-	5	-	-	-	100
Russell	3	6,918	4	20	25	-	14	-	-	6	-	9	11	11	-	100
Sumter	3	3,146	-	3	-	-	49	-	-	28	-	-	20	-	-	100
Wilcox	3	5,920	-	5	30	-	57	-	-	8	-	-	-	-	-	100
All other	28	37,009	1	14	16	12	35	1	1	8	-	5	6	-	1	100
Total	76	170,108	*	12	12	22	38	*	*	4	-	2	8	1	1	100
<u>Florida:</u>																
Total	4	13,245	-	18	14	-	62	-	-	-	1	5	-	-	-	100
Classing Office Total	80	183,353	*	13	12	21	38	*	*	4	*	3	8	*	1	100

* Less than 0.5 percent.

Table 10. Greenwood Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	Gins	1972 Ginnings	Coker 310	Delta- pine 16	Delta- pine 25	Delta- pine 45A	Dixie King	Stone- ville 7A	Stone- ville 213	---	---	---	---	Pct.	Pct.	Pct.	Pct.	Other	Total
<u>Mississippi:</u>																			
Bolivar	41	207,751	-	63	-	-	-	-	37	-	-	-	-	-	-	-	-	-	100
Carroll	3	12,242	-	71	-	-	-	-	29	-	-	-	-	-	-	-	-	-	100
Coahoma	37	187,077	-	53	-	-	-	-	47	-	-	-	-	-	-	-	-	-	100
DeSoto 1/	4	19,060	14	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100
Holmes	16	68,609	1	95	-	-	-	-	4	-	-	-	-	-	-	-	-	-	100
Humphreys	13	65,387	-	43	-	-	-	-	57	-	-	-	-	-	-	-	-	-	100
Issaquena	3	15,728	-	48	4	-	-	-	48	-	-	-	-	-	-	-	-	-	100
Leflore	28	134,825	4	61	-	1	-	-	34	-	-	-	-	-	-	-	-	-	100
Panola 1/	7	33,749	-	35	-	-	-	-	65	-	-	-	-	-	-	-	-	-	100
Quitman	19	79,301	-	39	-	-	-	-	61	-	-	-	-	-	-	-	-	-	100
Sharkey	13	55,648	-	86	-	11	-	-	-	-	-	-	-	-	-	-	3	-	100
Sunflower	33	212,077	-	29	-	-	2	-	69	-	-	-	-	-	-	-	-	-	100
Tallahatchie	20	98,738	-	40	-	-	-	-	60	-	-	-	-	-	-	-	-	-	100
Tunica	15	59,760	18	32	-	40	-	-	10	-	-	-	-	-	-	-	-	-	100
Washington	34	161,931	-	55	-	-	-	4	41	-	-	-	-	-	-	-	-	-	100
Yazoo	13	78,546	-	92	-	-	-	-	8	-	-	-	-	-	-	-	-	-	100
All other	5	28,424	-	62	*	-	-	-	38	-	-	-	-	-	-	-	-	-	100
Classing Office Total	304	1,518,853	1	56	*	2	*	*	41	-	-	-	-	-	-	-	-	*	100

1/ A portion of this county is served by Memphis Classing Office.

* Less than 0.5 percent.

Table 11. Jackson Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	Gins	1972 Ginnings	Coker 310	Delta-pine 16	Delta-pine 25	Stone-ville 213	---	Pct.	---	Pct.	---	Pct.	---	Pct.	---	Pct.	Other	Total
<u>Mississippi:</u>																		
Attala	5	6,060	-	57	-	43	-	-	-	-	-	-	-	-	-	-	-	100
Hinds	6	20,021	-	20	-	80	-	-	-	-	-	-	-	-	-	-	-	100
Lowndes	4	7,726	-	42	3	55	-	-	-	-	-	-	-	-	-	-	-	100
Madison 1/	5	29,226	-	56	-	44	-	-	-	-	-	-	-	-	-	-	-	100
Noxubee	4	9,719	-	82	1	17	-	-	-	-	-	-	-	-	-	-	-	100
Scott	3	4,797	-	95	-	5	-	-	-	-	-	-	-	-	-	-	-	100
Webster	3	8,690	-	65	-	35	-	-	-	-	-	-	-	-	-	-	-	100
All other	25	54,399	5	57	1	37	-	-	-	-	-	-	-	-	-	-	-	100
Classing Office Total	55	140,638	2	53	1	44	-	-	-	-	-	-	-	-	-	-	-	100

^{1/} A portion of this county is served by Greenwood Classing Office and is included in the data for "all other".

Table 12. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	No.	Gins	1972 Ginnings	Auburn M	Coker 310	Delta-pine 16	Delta-pine 25	Delta-pine 45A	Dixie King II	Hancock	Rex Smooth Leaf	Stone-ville 7A	Stone-ville 213	Stone-ville 603	---	Other	Total
<u>Tennessee:</u>																	
Carroll	10		11,320	-	-	47	-	-	29	1	-	-	22	-	-	1	100
Chester	4		7,479	-	-	37	-	-	26	-	4	-	29	4	-	-	100
Crockett	12		59,657	-	-	45	-	-	11	-	-	-	40	4	-	-	100
Dyer	13		33,045	-	3	10	1	-	16	-	2	3	64	1	-	-	100
Fayette	12		36,512	-	-	38	-	-	7	14	-	-	41	-	-	-	100
Gibson	20		64,303	-	22	28	-	-	11	-	1	1	31	5	-	1	100
Hardeman	9		25,124	-	-	48	-	-	10	1	-	-	41	-	-	-	100
Haywood	14		52,512	1	-	39	-	-	25	-	-	-	34	-	-	1	100
Henderson	6		7,603	-	-	5	-	-	41	-	9	-	44	-	-	1	100
Lake	7		29,767	-	1	53	-	1	2	-	-	-	43	-	-	-	100
Lauderdale	12		41,407	-	-	44	2	-	12	6	1	-	34	1	-	-	100
Lawrence	4		6,989	-	-	-	-	-	36	-	18	-	15	31	-	-	100
Lincoln	4		12,272	-	-	-	-	-	16	39	16	-	27	-	-	2	100
McNairy	9		11,497	-	-	36	-	-	29	3	3	-	29	-	-	-	100
Madison	11		32,789	-	-	46	-	-	20	-	-	-	29	1	-	4	100
Obion	4		7,204	2	-	43	-	-	20	2	-	-	33	-	-	-	100
Shelby	13		24,028	-	-	21	-	-	8	2	34	-	35	-	-	-	100
Tipton	15		50,753	-	-	47	-	2	34	3	3	-	11	-	-	-	100
All other	7		9,048	-	*	29	-	-	19	11	-	-	38	3	-	-	100
Total	186		523,309	*	3	37	*	*	17	3	3	*	34	2	-	1	100
<u>Arkansas:</u>																	
Total 1/	31		81,623	-	-	48	-	-	-	-	6	-	45	-	-	1	100

Table 12. Memphis Classing Office: (Continued)

State and County	Gins	1972 Ginnings	Auburn M	Coker 310	Delta-pine 16	Delta-pine 25	Delta-pine 45A	Dixie King II	Han-cock	Rex Smooth Leaf	Stone-ville 7A	Stone-ville 213	Stone-ville 603	----	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Alcorn	4	8,500	-	-	36	-	-	25	-	7	-	32	-	-	-	100
Benton	4	9,761	-	-	37	-	-	1	-	1	-	61	-	-	-	100
Calhoun	6	22,719	-	-	15	-	-	-	-	-	-	85	-	-	-	100
Chickasaw	4	10,293	-	-	50	-	-	-	-	-	-	50	-	-	-	100
DeSoto 2/	5	11,090	-	3	45	-	-	3	4	-	-	45	-	-	-	100
Grenada 3/	3	11,198	-	-	54	-	-	-	-	-	-	46	-	-	-	100
Itawamba	3	5,172	-	3	50	-	-	5	-	-	-	40	-	-	2	100
Lee	6	12,998	-	4	42	-	-	30	-	-	-	24	-	-	*	100
Marshall	12	30,960	-	-	67	-	-	-	-	-	-	33	-	-	*	100
Monroe	7	22,218	-	-	55	-	-	-	-	-	-	45	-	-	-	100
Panola 2/	10	30,855	-	*	46	-	-	-	-	-	-	54	-	-	*	100
Pontotoc	5	16,659	-	-	71	-	-	-	-	-	-	29	-	-	-	100
Prentiss	6	9,703	-	10	35	-	-	18	-	-	-	37	-	-	-	100
Tate 3/	7	21,911	-	*	46	-	-	-	-	-	-	54	-	-	-	100
Tippah	6	14,338	-	-	60	-	-	-	-	1	-	39	-	-	*	100
Tishomingo	3	4,715	-	-	64	-	-	5	-	8	-	23	-	-	-	100
Union	3	7,292	-	-	60	-	-	-	-	-	-	40	-	-	-	100
All other	4	16,410	-	*	69	-	-	-	-	-	-	31	-	-	-	100
Total	98	266,792	-	1	51	-	-	3	*	*	-	45	-	-	*	100
Classing Office Total	315	871,724	*	2	42	*	*	11	2	3	*	39	1	-	*	100

1/ Includes Crittenden County and the portion of Cross County served by Memphis Classing Office.

2/ A portion of this county is served by Greenwood Classing Office.

3/ A portion of this county is served by Greenwood Classing Office and is included in the data for "all other".

* Less than 0.5 percent.

Table 13. Hayti Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	Gins	1972 Ginnings	Bales														Total
			Auburn M	Brycot 4	Coker 310	Delcot 277	Delta-pine 16	Delta-pine 45A	Dixie King	McNair	Rex Sm.Lf. 66	Stone-ville 7A	Stone-ville 213	---	Other		
	No.		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
<u>Missouri:</u>																	
Butler	5	7,082	-	-	-	-	-	-	-	-	-	-	-	98	-	2	100
Dunklin	30	126,573	6	3	1	-	33	1	1	-	-	-	3	52	-	-	100
Mississippi	10	17,145	10	-	8	-	22	-	-	-	-	6	-	54	-	-	100
New Madrid	29	110,810	8	1	2	2	8	-	-	-	1	3	5	70	-	-	100
Pemiscot	25	123,969	-	-	-	1	27	2	-	-	-	-	2	68	-	-	100
Stoddard	6	24,850	3	-	-	-	4	-	-	-	-	1	-	92	-	-	100
All other	7	15,755	2	3	3	1	11	4	-	-	-	1	-	75	-	-	100
Classing Office Total	112	426,184	5	1	1	1	22	1	*	*	*	1	3	65	-	*	100

* Less than 0.5 percent.

Table 14. Blytheville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

Table 14. Blytheville Classing Office. Arkansas

State and County	Gins	1972 Ginnings	Auburn M	Brycot 4	Delta-pine 16	Delta-pine 45A	Rex Smooth Leaf 66	Stone-ville 7A	Stone-ville 213	---	---	---	Pct.	Pct.	Pct.	Pct.	Total
Arkansas:																	
Clay 1/	12	29,041	1	2	18	-	2	21	56	-	-	-	-	-	-	-	100
Craighead	25	105,354	-	1	19	-	2	10	68	-	-	-	-	-	-	-	100
Greene	9	35,524	-	2	13	1	2	10	69	-	-	-	-	-	-	3	100
Mississippi	54	225,354	-	6	30	-	2	9	52	-	-	-	-	-	-	1	100
Poinsett	21	95,680	-	-	44	-	-	6	50	-	-	-	-	-	-	-	100
Classing Office Total	121	490,953	*	3	28	*	2	9	57	-	-	-	-	-	-	1	100

1/ A portion of this county is served by Little Rock Classing Office.

* Less than 0.5 percent.

Table 15. Little Rock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	Gins	1972 Ginnings	Brycot	Coker	Delta-pine	Delta-pine	Delta-pine	Dixie King II	McNair 511	McNair 1032B	Rex Sm.Lf.	Stone-ville	Stone-ville	---	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Arkansas:</u>																
Arkansas	3	6,450	-	-	67	-	-	-	-	-	-	-	33	-	-	100
Ashley	5	48,001	-	-	46	1	-	-	-	-	-	-	50	-	3	100
Chicot	9	50,201	-	-	54	5	7	-	-	-	-	-	34	-	-	100
Clay 1/	6	13,667	-	10	2	-	-	1	6	-	5	28	45	-	3	100
Cross 2/	12	21,055	-	-	37	-	-	-	-	-	11	-	52	-	-	100
Desha	13	61,273	-	-	32	-	-	-	-	-	-	-	67	-	1	100
Drew	4	14,381	-	-	53	-	-	-	-	-	-	-	45	-	2	100
Jackson	11	26,847	-	2	20	-	-	5	5	-	12	-	54	-	2	100
Jefferson	26	110,498	-	-	84	2	3	-	-	-	-	-	11	-	-	100
Lafayette	4	16,195	-	-	82	-	-	-	-	-	-	-	17	-	1	100
Lawrence	8	15,921	-	-	27	-	-	-	-	-	35	5	32	-	1	100
Lee	17	55,907	-	-	31	-	-	-	-	-	1	-	66	-	2	100
Lincoln	9	44,225	-	2	43	4	8	-	-	-	-	-	43	-	-	100
Lonoke	13	73,676	-	-	57	-	-	-	-	2	-	-	40	-	1	100
Miller	4	6,501	-	-	73	-	-	-	-	-	-	-	24	-	3	100
Monroe	10	32,648	-	-	71	-	-	-	-	-	2	-	27	-	-	100
Phillips	36	111,335	1	-	36	1	1	-	-	-	-	-	60	-	1	100
Pulaski	6	7,966	-	-	26	-	8	-	-	-	-	-	66	-	-	100
Randolph	4	8,064	-	9	18	-	-	-	-	-	44	-	29	-	-	100
St. Francis	21	50,838	-	-	26	-	-	-	-	-	2	1	69	-	2	100
Woodruff	10	28,460	-	-	25	-	-	-	-	-	-	-	73	-	2	100
All other	10	19,255	-	-	47	-	-	-	-	-	-	-	51	-	2	100
Classing Office Total	241	823,364	*	*	47	1	2	*	*	*	2	1	46	-	1	100

1/ A portion of this county is served by Blytheville Classing Office.

2/ A portion of this county is served by Memphis Classing Office and is included in the data for "Arkansas".

* Less than 0.5 percent.

Table 16. Winnsboro Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1973

State and Parish	Gins	1972 Ginnings	Coker 310	Delta-pine 16	Delta-pine 25	Delta-pine 45A	Stone-ville 213	---	---	---	---	---	---	Total
No.	Pct.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Louisiana:</u>														
Catahoula	4	22,980	-	13	-	*	87	-	-	-	-	-	-	100
Concordia	5	26,755	-	49	-	7	44	-	-	-	-	-	-	100
East Carroll	9	71,485	-	58	-	-	42	-	-	-	-	-	-	100
Franklin	15	72,268	-	41	1	3	55	-	-	-	-	-	-	100
Madison	5	21,680	-	53	1	1	45	-	-	-	-	-	-	100
Morehouse	7	76,613	-	66	1	6	27	-	-	-	-	-	-	100
Ouachita	4	25,780	-	57	3	12	28	-	-	-	-	-	-	100
Richland	12	75,922	1	53	2	3	41	-	-	-	-	-	-	100
Tensas	6	42,623	*	31	-	14	55	-	-	-	-	-	-	100
West Carroll	12	44,117	4	69	-	-	27	-	-	-	-	-	-	100
All other	2	19,873	-	22	-	14	64	-	-	-	-	-	-	100
Classing Office Total	81	500,096	1	49	1	5	44	-	-	-	-	-	-	100

* Less than 0.5 percent.

Table 17. Alexandria Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1973

State and Parish	Gins	1972 Ginnings	Delta-pine 16	Delta-pine 25	Delta-pine 45A	Stone-ville 7A	Stone-ville 213	---	---	---	---	---	---	Total
No.	Pct.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Louisiana:</u>														
Acadia	3	4,482	71	-	17	4	8	-	-	-	-	-	-	100
Avoyelles	8	21,056	42	-	28	-	30	-	-	-	-	-	-	100
Bossier	6	17,978	86	-	12	-	1	-	-	-	-	-	1	100
Caddo	8	43,326	96	-	1	-	3	-	-	-	-	-	-	100
Natchitoches	7	20,721	45	1	49	2	3	-	-	-	-	-	-	100
Rapides	10	39,290	19	4	43	9	25	-	-	-	-	-	-	100
St. Landry	13	20,406	39	-	29	3	29	-	-	-	-	-	-	100
All other	8	18,553	57	*	16	-	27	-	-	-	-	-	-	100
Classing Office Total	63	185,812	56	1	24	3	16	-	-	-	-	-	*	100

* Less than 0.5 percent.

Table 18. Altus Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	Gins	1972 Ginnings	Gregg 35	Lankart 57	Lankart 611	Lankart LX 571	Lankart BXL	Lockett 4789A	Northern Star 5	Pay-master 202	Pay-master M-18	Stone-ville 213	West-burn	Western Storm-proof	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Oklahoma:</u>																
Beckham	11	33,205	-	61	24	-	4	-	-	5	-	-	6	-	-	100
Caddo	14	32,674	-	66	18	16	-	-	-	-	-	-	-	-	-	100
Canadian	3	3,167	-	73	2	16	-	-	-	-	-	-	-	-	9	100
Custer	3	14,836	-	29	13	58	-	-	-	-	-	-	-	-	-	100
Grady	4	7,476	-	24	23	53	-	-	-	-	-	-	-	-	-	100
Greer	7	18,977	-	90	-	4	-	-	-	-	-	-	6	-	-	100
Harmon	5	20,364	-	54	-	-	-	23	5	-	-	12	-	-	6	100
Jackson	10	38,910	-	63	-	3	-	5	5	-	-	11	1	-	12	100
Kiowa	8	26,900	-	77	16	7	-	-	-	-	-	-	-	-	-	100
Tillman	10	39,483	-	73	8	9	8	-	-	-	-	-	2	-	-	100
Washita	9	37,133	-	21	31	24	-	-	-	-	-	-	14	-	10	100
All other	10	13,280	-	51	23	6	1	-	-	-	-	-	-	-	19	100
Total	94	286,405	-	58	14	12	2	2	1	1	-	2	3	-	5	100
<u>Texas:</u>																
Briscoe	7	20,114	7	4	5	11	-	-	-	11	34	-	-	-	28	100
Childress	3	30,757	-	21	18	14	-	13	18	12	-	-	-	-	4	100
Collingsworth	5	34,057	9	47	-	6	22	9	-	-	-	-	-	-	7	100
Cottle	6	31,399	-	69	1	22	1	-	-	-	-	-	-	-	7	100
Donley	3	12,268	23	12	-	16	-	-	4	6	5	-	-	-	34	100
Foard	3	6,131	-	38	-	7	-	53	-	-	-	-	-	-	2	100
Hall	12	77,086	3	22	20	2	4	6	24	5	-	-	-	14	-	100
Hardeman	5	15,221	-	37	47	14	-	-	-	-	-	-	2	-	-	100
Motley	4	16,819	-	14	23	2	-	9	13	4	7	-	-	13	15	100
Wheeler	4	10,489	38	9	28	-	-	-	-	9	-	-	-	-	16	100
Wilbarger	8	29,677	-	64	7	-	21	3	-	-	-	-	2	-	3	100
All other	3	12,438	7	42	1	22	-	-	19	1	-	-	-	-	8	100
Total	63	296,456	5	35	13	8	6	6	10	4	3	-	*	4	6	100
Classing Office Total	157	582,861	3	46	13	10	4	4	6	2	1	1	2	2	6	100

* Less than 0.5 percent.

Table 19. Dallas Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	Gins	1972 Ginnings	Delta-pine 16	Lank-art 57	Lank-art 611	Lank-art LX 571	Lock-ett 4789A	Northern Star 5	Par-rott	Pay-master 202	Stone-ville 213	Tamcot SP 37	TPSA 41	TPSA 110	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas:</u>																
Collin	14	39,676	-	67	7	24	-	-	-	-	-	-	-	*	2	100
Delta	5	16,997	*	27	-	61	-	-	-	-	-	-	1	4	7	100
Ellis	20	68,060	-	29	1	69	-	-	-	-	-	-	-	-	1	100
Fannin	7	16,829	-	72	-	24	-	-	-	-	-	1	-	-	3	100
Grayson	6	7,666	-	65	-	35	-	-	-	-	-	-	-	-	*	100
Hill	18	57,677	-	37	-	50	-	-	-	-	-	11	-	-	2	100
Hunt	11	28,542	-	45	-	54	-	-	-	-	-	1	-	-	*	100
Johnson	5	9,384	-	35	-	50	-	-	-	-	-	13	-	-	2	100
Kaufman	5	13,881	-	36	-	64	-	-	-	-	-	-	-	-	-	100
Lamar	4	16,362	14	23	-	59	-	-	-	-	-	-	4	-	*	100
Navarro	9	31,593	-	12	-	79	-	-	-	-	-	9	-	-	*	100
Tarrant	3	3,859	-	75	1	22	-	-	-	-	-	-	-	-	2	100
All other	15	30,581	12	37	7	27	-	8	-	-	4	2	-	-	3	100
Total	122	341,107	2	39	2	51	-	1	-	-	*	3	*	*	2	100
<u>Oklahoma:</u>																
Bryan	3	2,669	18	56	-	-	1	-	14	-	-	-	-	-	11	100
Muskogee	4	6,219	70	3	-	1	13	-	-	-	1	-	-	-	12	100
All other	14	20,007	10	53	21	1	2	-	2	7	3	-	-	-	1	100
Total	21	28,895	24	43	14	1	5	-	2	5	2	-	-	-	4	100
<u>Classing Office Total</u>																
Classing Office Total	143	370,002	3	39	3	48	*	1	*	*	*	3	*	*	3	100

* Less than 0.5 percent.

Table 20. Austin Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	Gins	1972 Ginnings	Anton 99	Delta-pine 16	Lank-art 57	Lank-art 611	Lank-art 3840	Lank-art LX 571	Quapaw	Stone-ville 7A	Stone-ville 213	Tamcot SP 21	Tamcot SP 37	TPSA 110	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Austin	7	4,464	1	51	-	-	-	4	-	3	41	-	-	-	*	100
Bell	12	22,973	-	-	-	-	-	96	-	-	-	-	-	-	4	100
Brazoria	5	8,657	-	21	-	-	-	-	-	54	18	4	-	-	3	100
Brazos	5	18,222	-	35	-	-	-	-	-	-	14	-	49	-	2	100
Burleson	5	11,609	-	11	-	-	-	-	-	5	31	-	39	9	5	100
Coryell	3	3,310	-	-	-	-	-	97	-	-	-	-	-	-	3	100
Falls	6	8,823	4	9	-	-	-	76	-	-	1	-	5	-	5	100
Fayette	4	1,414	31	-	-	-	-	64	-	-	-	-	-	-	5	100
Fort Bend	14	32,399	-	38	-	-	-	-	-	30	30	*	-	-	2	100
Houston	3	8,288	-	-	-	-	-	-	-	80	15	-	1	-	4	100
McLennan	13	30,869	1	-	-	-	-	94	-	-	-	-	-	-	5	100
Milam	7	18,478	-	-	-	-	30	65	-	-	-	-	2	-	3	100
Robertson	5	31,677	-	3	-	-	2	6	1	1	77	-	7	2	1	100
Travis	3	4,780	-	-	-	-	-	96	-	-	-	-	-	-	4	100
Washington	3	384	9	15	-	-	-	71	-	-	-	-	-	-	5	100
Williamson	21	62,458	2	-	22	9	-	62	-	-	-	-	2	-	3	100
Zavala	3	6,138	-	2	-	-	-	-	1	-	93	-	-	-	4	100
All other	20	25,854	6	3	2	5	-	41	1	15	12	5	6	-	4	100
Classing Office Total	139	300,797	1	9	5	2	2	44	*	8	19	*	6	1	3	100

* Less than 0.5 percent.

Table 21. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	Gins	1972 Ginnings	Delta-pine 16	Hybee 200	Lank-art 611	Lank-art 3840	Lank-art LX 571	Rex Sm.Lf. 66	Stone-ville 7A	Stone-ville 213	Tamcot SP 21	Tamcot SP 37	TPSA 110	TPSA 1633	Other	Total
No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Calhoun	5	6,026	29	-	*	-	-	-	15	32	-	3	11	10	*	100
Jackson	5	7,339	63	-	-	-	-	-	23	9	-	3	-	-	2	100
Matagorda	6	6,888	43	-	-	-	-	2	40	13	-	-	-	-	2	100
Nueces	21	44,000	-	-	28	1	-	-	25	20	1	21	-	*	4	100
Refugio	3	3,881	-	-	-	21	-	-	25	51	-	1	-	-	2	100
San Patricio	12	37,059	-	-	39	6	-	-	20	5	*	25	1	-	4	100
Victoria	4	2,004	48	-	-	-	-	-	37	12	-	-	-	-	3	100
Wharton	16	48,686	36	1	-	-	-	2	38	12	-	9	*	-	2	100
All other	7	10,852	1	-	17	8	16	-	-	19	3	18	7	2	9	100
Classing Office Total	79	166,735	17	*	17	3	1	1	27	15	*	15	1	1	2	100

* Less than 0.5 percent.

Table 22. Harlingen Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	Gins	1972 Ginnings	Coker 310	Delta-pine 16	Delta-pine 25	Delta-pine SR 1	Lank-art 611	Lank-art 3840	Quapaw SAS	Stone-ville 7A	Stone-ville 213	Tamcot SP 37	TPSA 110	TPSA 1633	Other	Total
No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Cameron	26	109,828	-	4	*	*	*	-	*	46	32	2	5	11	-	100
Hidalgo	22	105,226	*	*	-	-	*	*	1	33	48	1	5	12	*	100
Willacy	10	66,625	-	*	-	-	-	-	*	27	57	*	5	11	-	100
All other	1	2,594	-	-	-	-	-	-	-	-	100	-	-	-	-	100
Classing Office Total	59	284,273	*	2	*	*	*	*	*	36	45	1	5	11	*	100

* Less than 0.5 percent.

Table 23. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	Gins	1972 Ginnings	Blight-master A-5	Lank-art 57	Lank-art 611	Lank-art LX 571	Lock-ett 4789	Lock-ett 4789A	Lock-ett BXL	North-ern Star 5	Northern Star R-4	Pay-master 202	Tamcot SP 37	Western Storm-proof	Other	Total
Texas:																
Coleman	3	6,449	-	80	15	5	-	-	-	-	-	-	-	-	-	100
Dickens 1/	5	22,918	-	42	30	5	4	4	-	-	-	4	-	5	6	100
Fisher	7	42,056	-	23	21	-	-	-	-	-	14	2	-	12	28	100
Haskell	12	80,185	-	-	16	81	-	-	-	-	-	-	-	-	3	100
Howard 2/	9	48,913	32	-	2	-	-	-	4	-	-	-	-	57	5	100
Jones	15	70,443	-	7	25	66	-	-	-	-	-	-	-	-	2	100
Knox	8	22,474	-	55	15	10	5	-	-	-	-	-	3	-	12	100
Martin 2/	7	51,878	1	-	-	-	19	5	6	2	-	3	-	53	11	100
Mitchell	7	40,075	-	2	18	-	-	8	7	18	-	-	6	35	6	100
Nolan	5	25,353	-	-	-	-	-	-	-	38	-	7	11	32	5	100
Runnels	11	33,024	-	44	11	43	-	-	-	-	-	-	2	-	-	100
Scurry 1/	7	57,907	-	-	8	6	-	13	-	9	-	14	6	35	9	100
Taylor	5	6,781	-	-	61	34	-	-	-	-	-	-	-	-	5	100
Tom Green	7	26,448	-	48	30	22	-	-	-	-	-	-	-	-	-	100
All other	19	53,431	-	24	25	24	3	3	3	-	-	2	1	10	5	100
Classing Office Total	127	588,335	3	14	16	27	2	3	2	4	1	2	2	18	6	100

1/ A portion of this county is served by Lubbock Classing Office and is included in the data for "all other".

2/ A portion of this county is served by Lubbock Classing Office.

* Less than 0.5 percent.

Table 24. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	Gins	1972 Ginnings	Blight-master A-5	Coker 5110	Lank-art 57	Lock-ett 4789A	Northern Star R-4	Pay-master 18	Pay-master 111	Pay-master 111A	Pay-master 202	Pay-master 909	Rilcot 90	Strip-per 31	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas:</u>																
Bailey	17	80,025	-	-	-	-	6	1	-	*	3	-	29	27	34	100
Castro	13	30,773	-	-	-	-	-	31	-	-	18	-	9	18	24	100
Cochran	11	64,840	-	-	-	-	6	10	-	7	6	-	30	17	24	100
Crosby	19	156,130	1	11	3	-	-	-	5	1	-	32	-	18	29	100
Dawson	26	213,496	24	-	-	9	3	-	3	8	2	-	-	2	49	100
Floyd	20	113,971	-	-	1	-	7	23	5	3	2	5	-	44	10	100
Gaines	21	149,302	-	1	2	2	2	1	-	3	10	-	11	38	30	100
Garza	6	28,198	-	7	3	-	10	-	41	3	13	-	-	-	23	100
Hale	33	143,406	-	-	-	-	4	28	5	1	*	8	1	45	8	100
Hockley	32	122,484	-	2	2	12	3	8	-	20	*	10	8	20	15	100
Howard 1/	3	11,469	5	-	-	5	-	-	-	-	-	-	-	-	90	100
Lamb	30	106,069	-	-	-	1	1	24	-	3	12	4	12	17	26	100
Lubbock	39	226,837	-	11	1	-	2	6	5	1	1	27	-	26	20	100
Lynn	24	230,717	2	7	9	6	1	-	1	11	2	21	-	5	35	100
Martin 1/	4	26,131	35	-	-	-	-	-	-	-	5	-	-	-	60	100
Parmer	15	34,371	-	-	-	-	-	6	-	7	9	-	29	18	31	100
Swisher	13	40,287	-	-	-	-	-	8	-	-	-	-	-	65	27	100
Terry	21	121,357	-	3	16	1	4	4	-	15	5	2	-	9	41	100
Yoakum	9	60,183	-	1	1	9	5	-	-	5	-	-	5	35	39	100
All other	5	16,846	-	-	-	-	-	-	-	33	14	-	-	-	53	100
Total	361	1,976,892	3	3	3	3	3	8	3	6	4	11	5	22	26	100
<u>New Mexico:</u>																
Total 2/	5	12,876	-	-	-	-	-	6	-	3	11	-	55	20	5	100
<u>Classing Office Total</u>																
Classing Office Total	366	1,989,768	3	3	3	3	3	8	3	6	4	11	5	22	26	100

1/ A portion of this county is served by Abilene Classing Office.

2/ Includes Roosevelt and Quay counties.

* Less than 0.5 percent.

Table 25. El Paso Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	Gins	1972 Ginnings	Acala 1517C	Acala 1517D	Acala 1517V	Acala 1517-70	Coker 310	Coker 312	Coker 5110	Delta-pine 16	Hop1-cala	Stone-ville 213	Stroman Acala 104	Stroman Acala 254	Other	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>Texas:</u>																
El Paso	7	23,582	22	1	12	46	-	-	*	5	-	11	-	2	1	100
All other	5	17,019	14	-	-	8	11	6	14	16	11	7	-	-	13	100
Total	12	40,601	19	1	7	31	5	2	6	10	5	9	-	1	4	100
<u>New Mexico:</u>																
Dona Ana	10	35,868	1	-	37	42	*	2	1	1	1	1	6	3	5	100
Hidalgo	3	8,165	1	-	29	67	-	-	-	*	3	-	-	-	-	100
Luna	5	19,717	4	2	35	35	-	1	-	-	2	16	-	-	5	100
All other	2	981	-	-	73	17	10	-	-	-	-	-	-	-	-	100
Total	20	64,731	2	*	36	43	*	1	1	1	2	6	3	2	3	100
<u>Arizona:</u>																
Cochise	5	19,658	17	2	24	32	-	1	3	*	-	17	-	-	4	100
All other	3	8,182	4	13	1	23	-	-	*	54	1	3	-	-	1	100
Total	8	27,840	13	5	18	30	-	1	2	16	*	13	-	-	2	100
Classing Office Total	40	133,172	9	2	23	36	2	1	3	7	2	8	2	1	4	100

* Less than 0.5 percent.

Table 26. Carlsbad Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	Gins	1972 Ginnings	Acala 1517 BR-2	Acala 1517C	Acala 1517V	Acala 1517-70	Delta-pine 16	Lankart 611	Lockett 4789	Lockett 4789A	Pay-master 909	Stone-ville 7A	Stone-ville 213	Tamcot SP 21	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>New Mexico:</u>																
Chaves	6	25,205	1	4	31	41	-	-	-	-	1	-	-	-	22	100
Eddy	8	27,856	-	6	26	59	-	-	-	-	-	*	-	-	9	100
Lea	6	20,404	12	2	-	3	-	-	-	-	8	-	-	-	75	100
Total	20	73,465	4	4	21	37	-	-	-	-	3	*	-	-	31	100
<u>Texas:</u>																
Glasscock	3	18,951	1	-	-	-	-	34	24	17	3	3	1	-	17	100
Pecos	4	7,065	-	7	4	12	7	-	-	-	-	4	23	17	26	100
Reeves	9	43,676	-	6	1	1	24	-	-	-	-	4	57	4	3	100
All other	1	4,452	5	-	-	5	-	-	-	15	10	-	5	-	60	100
Total	17	74,144	*	4	1	2	16	9	6	5	1	4	37	4	11	100
Classing Office Total	37	147,609	2	4	11	20	8	4	3	3	2	2	18	2	21	100

* Less than 0.5 percent.

Table 27. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	Gins	1972 Ginnings	Del Cerro		Delta-pine 16		Delta-pine Sm.Lf.		Stone-ville 7A		Stone-ville 213		---		---		---		---		Other		Total	
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Maricopa	39	234,703	3	83	-	*	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	100	
Pima	7	27,120	-	49	-	9	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100	
Pinal	32	205,476	-	82	1	2	15	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	100	
Yuma 1/	4	27,759	-	99	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100	
Classing Office Total	82	495,058	2	83	*	1	14	-	-	-	-	-	-	-	-	-	-	-	-	-	*	-	100	

Arizona:

1/ A portion of this county is served by El Centro Classing Office.

* Less than 0.5 percent.

Table 28. Fresno Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	Gins	1972 Ginnings	Acala SJ-1		Acala SJ-2		Acala 4-42		Acala T-1307		---		---		---		---		---		Other		Total	
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Fresno	71	472,690	86	3	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100	
Kings 1/	8	61,819	96	4	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100	
Madera	12	60,072	100	*	-	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100	
Merced	9	83,912	96	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100	
Tulare 1/	6	49,496	99	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100	
Classing Office Total	106	727,989	90	2	8	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100	

California:

1/ A portion of this county is served by Bakersfield Classing Office.

* Less than 0.5 percent.

Table 29. Bakersfield Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	Gins	1972 Ginnings	Acala SJ-1	Acala SJ-2	Acala 4-42	Acala T-1307	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Kern	51	536,675	92	7	1	*	-	-	-	-	-	-	-	-	100
Kings 1/	15	224,381	94	6	*	-	-	-	-	-	-	-	-	-	100
Tulare 1/	26	165,705	92	1	7	-	-	-	-	-	-	-	-	-	100
Classing Office Total	92	926,761	92	6	2	*	-	-	-	-	-	-	-	-	100

1/ A portion of this county is served by Fresno Classing Office.

* Less than 0.5 percent.

Table 30. El Centro Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1973

State and County	Gins	1972 Ginnings	Delta-pine 16	Delta-pine Sm.Lf. 213	Stone-ville 213	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Other	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Imperial	10	72,769	77	15	8	-	-	-	-	-	-	-	-	-	100
Riverside	5	33,553	91	-	9	-	-	-	-	-	-	-	-	-	100
Total	15	106,322	81	11	8	-	-	-	-	-	-	-	-	-	100
Arizona:															
Yuma 1/	9	68,222	69	24	7	-	-	-	-	-	-	-	-	-	100
Total	9	68,222	69	24	7	-	-	-	-	-	-	-	-	-	100
Classing Office Total	24	174,544	77	15	8	-	-	-	-	-	-	-	-	-	100

1/ A portion of this county is served by Phoenix Classing Office.

* Less than 0.5 percent.

Table 31. Estimated percentage of American Pima cotton acreage
planted to specified varieties, by states, 1969-1973

State and Year	A P ginnings	Pima S-1	Pima S-2	Pima S-3	Pima S-4	Pima Stroman Select	Other	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
Arizona								
1969	35,892	-	5	9	86	-	-	100
1970	27,965	-	11	4	85	-	-	100
1971	42,299	-	17	6	77	-	-	100
1972	48,864	-	8	3	89	-	-	100
1973	-	-	7	5	88	-	-	100
California								
1969	1,695	-	-	-	100	-	-	100
1970	-	-	-	-	-	-	-	-
1971	-	-	-	-	-	-	-	-
1972	-	-	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-
New Mexico								
1969	6,456	1	41	42	14	2	-	100
1970	6,348	-	13	46	33	8	-	100
1971	11,249	1	18	18	63	-	-	100
1972	9,054	-	7	15	78	-	-	100
1973	-	-	4	12	84	-	-	100
Texas								
1969	32,795	2	45	29	24	-	-	100
1970	22,825	*	9	8	83	-	-	100
1971	42,359	*	9	13	78	-	-	100
1972	35,949	-	6	3	91	-	-	100
1973	-	-	9	2	89	-	-	100
United States								
1969	76,838	1	22	19	58	*	-	100
1970	57,138	*	10	9	80	1	-	100
1971	95,907	*	14	10	76	-	-	100
1972	93,867	-	7	4	89	-	-	100
1973	-	-	8	5	87	-	-	100

* Less than 0.5 percent.

Table 32. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing office territories, crop of 1973

Classing office territory and County	Gins	1972 A P ginnings	Pima S-2	Pima S-3	Pima S-4	---	Other	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>El Paso territory</u>								
<u>Arizona:</u>								
Total	3	13,331	12	20	68	-	-	100
<u>New Mexico:</u>								
Dona Ana	5	5,234	6	17	77	-	-	100
All other	2	3,820	-	4	96	-	-	100
Total	7	9,054	4	12	84	-	-	100
<u>Texas:</u>								
El Paso	8	25,636	2	3	95	-	-	100
All other	1	661	-	-	100	-	-	100
Total	9	26,297	2	3	95	-	-	100
Classing Office Total	19	48,682	5	9	86	-	-	100
<u>Carlsbad territory</u>								
<u>Texas:</u>								
Total	2	9,652	30	-	70	-	-	100
<u>Phoenix territory</u>								
<u>Arizona:</u>								
Maricopa	5	10,737	-	-	100	-	-	100
Pima	3	5,068	27	-	73	-	-	100
Pinal	5	10,660	5	-	95	-	-	100
All other	1	9,068	-	-	100	-	-	100
Total	14	35,533	5	-	95	-	-	100

NATIONAL AGRICULTURAL LIBRARY



1022919549